



US Preventive Services Task Force: A & B Recommended Preventive Services - Overview

A Recommended Preventive Services

The USPSTF recommends these services. There is high certainty that the net benefit is substantial.

- **Aspirin to Prevent CVD:** Men age 45 to 79 to prevent myocardial infarctions
- **Aspirin to Prevent CVD:** Women age 55 to 79 to prevent ischemic strokes
- **Asymptomatic Bacteriuria:** Screening -- Pregnant Women
- **Cervical Cancer:** Screening -- Women who are sexually active
- **Chlamydia:** Screening -- Women Ages 24 and *Younger* OR Women Ages 25 and *Older* at Increased Risk
- **Colorectal Cancer:** Screening -- Adults, beginning at age 50 years and continuing until age 75 years
- **Congenital Hypothyroidism:** Screening -- Newborns
- **Folic Acid:** Supplementation -- All Women Planning or Capable of Pregnancy
- **Gonorrhea:** Preventive Medication -- Newborns
- **HIV:** Screening -- Adults and Adolescents at Increased Risk
- **HIV:** Screening -- Pregnant Women
- **Hepatitis B Virus:** Screening -- Pregnant Women
- **High Blood Pressure:** Screening -- Adults 18 and Over
- **Lipid Disorders in Adults:** Screening -- Men 35 and Older
- **Lipid Disorders in Adults:** Screening -- Women 45 and Older, Increased risk for CHD
- **Phenylketonuria (PKU):** Screening -- Newborns
- **Rh(D) Blood Typing:** Screening -- Pregnant Women, First Pregnancy Related Visit
- **Sickle Cell Disease:** Screening -- Newborns
- **Syphilis:** Screening - Pregnant Women



US Preventive Services Task Force: A & B Recommended Preventive Services - Overview

- **Syphilis:** Screening -- Men and Women at Increased Risk
- **Tobacco Use:** Counseling and Interventions for Adults
- **Tobacco Use:** Counseling and Interventions for Pregnant Women

B Recommended Preventive Services

The USPSTF recommends these service. There is high certainty that the net benefit is moderate or there is moderate certainty that the net benefit is moderate to substantial.

- **Abdominal Aortic Aneurysm:** Screening -- Men 65-75, Smoker
- **Alcohol Misuse:** Screening and Behavioral Counseling -- Men, Women, and Pregnant Women
- **BRCA Mutation Testing for Breast and Ovarian Cancer:** Women, Increased Risk
- **Breast Cancer:** Preventive Medication Discussion -- Women, Increased Risk
- **Breast Cancer:** Screening with Mammography -- Women 50-74 Years
- **Breastfeeding:** Primary Care Interventions to Promote -- All Pregnant Women and New Mothers
- **Chlamydia:** Screening -- Pregnant Women Ages 24 and Younger *OR* Pregnant Women Ages 25 and Older at Increased Risk
- **Dental Caries:** Oral Fluoride Supplementation -- Preschool Children 6 Months and Older
- **Depression:** Screening -- Adolescents, 12-18 years of age, in Clinical Practices with Systems of Care
- **Depression:** Screening -- Adults age 18 and over -- When staff-assisted depression care supports *are* in place
- **Gonorrhea:** Screening -- Pregnant Women and Women at Increased Risk
- **Healthy Diet:** Counseling -- Adults with Hyperlipidemia and Other Risk Factors for CVD
- **Hearing Loss in Newborns:** Universal Screening -- Newborns
- **Iron Deficiency Anemia:** Iron Supplementation -- Asymptomatic Children 6-12 Months, Increased Risk
- **Iron Deficiency Anemia:** Screening -- Asymptomatic Pregnant Women



US Preventive Services Task Force: A & B Recommended Preventive Services - Overview

- **Lipid Disorders in Adults:** Screening -- Men 20-34, Increased risk for CHD
- **Lipid Disorders in Adults:** Screening -- Women 20-44, Increased risk for CHD
- **Obesity:** Screening -- Children and Adolescents, Age 6-17
- **Obesity:** Screening and Intensive Counseling -- Obese Men and Women
- **Osteoporosis:** Screening -- Postmenopausal Women 65 Years and Older with No Risk Factors, or 60 Years and Older with Risk Factors
- **Rh(D) Blood Typing:** Screening -- Antibody Testing Unsensitized Rh (D)-Negative Pregnant Women
- **Sexually Transmitted Infections:** Behavioral Counseling -- Sexually Active Adolescents and Adults at Increased Risk
- **Type 2 Diabetes Mellitus:** Screening Men and Women -- Sustained BP 135/80+
- **Visual Impairment:** Screening -- Children Younger than 5 Years

For more detailed Business Group information on preventive services, please visit:
www.businessgrouphealth.org/preventive